



AMYSYSTEMS™



May 1, 2009



"Going beyond expectations"

DEALER INFORMATION

BILL TO: (For Invoicing, if Different then "Ship To" Location)

SHIP TO:

Dealer Name:
Contact:
Address:
City:
Province:
Postal Code:
Phone Number:
Fax Number:
Email Address:
Terms: Primary Discount: 0%

Dealer Name:
Contact:
Address:
City:
Province:
Postal Code:
Phone Number:
Fax Number:
Email Address:
Secondary Discount: 0% Total Discount: 0.00%


ORDER / QUOTE INFORMATION

Date:
P.O. Number:

Quote/Order Number:
Account Number:

INFORMATION ON THE USER

LEFT RIGHT
A
B
C
D
E
F
G
H
J
K



User name or number:
User weight:
User height:
Seat cushion thickness:

POWER BASE SELECTION

Table with 4 columns: Wheelchair Model, 1 STFH - Tilt & Lift, 1 STFH - Tilt, and a fourth column for additional models like Quickie S525 and Invacare TDX SP.

Table with 4 columns: Wheelchair Model, 1 STFH - Tilt & Lift, 1 STFH - Tilt, and a fourth column for additional models like Invacare Storm 3G and Quantum R4000.

Other Power Wheelchair Base. Specify:

FOR INTERNAL USE ONLY
Note: For a tilt only with a Large seat depth range between 18" and 22", please replace the C-5200 tilt and use the C-6400 tilt. Seat to floor height may increase by up to 1/4".

ELECTRONICS (INCLUDED WITH POWER WHEELCHAIR)

Table with 4 columns: QUICKIE, PRIDE - QUANTUM, INVACARE - MODULE, and JOYSTICK. Lists various electronic options like Q-Logic, Remote Plus, and MKIV-A.

FOOTNOTES

- 1 (STFH) Seat to floor height is measured at the front of the seat pan with a 0° Pre-Tilt.
2 For the Quickie S-525 and the P220 / P222 with VSI electronics, they must be tilt ready and equipped with a female Redel "Pigtail" connector...
3 When a chair is equipped with an 11" seat lift and Q-Logic electronics, reduced speed requires going through drive controls.
4 MK690 is not compatible to be used with power seating options.

INSTALLATION		Retail Price	Discount Price	Net Price
<input type="checkbox"/>	NOTE-IN-HOUSE	Factory Installation (The Wheelchair will drop-ship from the manufacturer)	STD	
<input type="checkbox"/>	NOTE-KIT	Dealer - Ready to Install Kit (For installation by the dealer)	N/C	

**MAIN POWER OPTION SELECTION**

<input type="checkbox"/>	SAPT-	5, 6	CG Power Tilt	\$6,495		
<input type="checkbox"/>	SAPRN-	5, 6, 7, 8	Power Recline with Integrated Shear Reduction (ISR)	\$7,995		
<input type="checkbox"/>	SAPTRN-	5, 6, 7, 8	CG Pwr. Tilt and Pwr. Recline w/ Integrated Shear Reduction	\$11,495		
<input type="checkbox"/>	SAPES-	5, 9	11" Power Elevating Seat Lift for transfer assist - <b>Maximum user weight capacity = 300 Lbs</b>	\$3,995		
<input type="checkbox"/>	ADDPES-4200	9	<b>Module</b> - Add an 11" Power Elevating Seat Lift for transfer assist to either SAPT, SAPRN or SAPTRN - <b>Maximum user weight capacity = 300 Lbs</b>	\$2,995		
<input type="checkbox"/>	ADDMR-	6, 7, 8	<b>Module</b> - Manual Recline with Integrated Shear Reduction - <b>Max. user weight capacity = 300 Lbs</b>	\$995		

- Note 5** Includes the fully adjustable and modular Amyseat II. These options may be available with other custom power options. Call CSR for details.  
**Note 6** The maximum user weight capacity is 400 Lbs.  
**Note 7** These options are not available with the pediatric seat frame.  
**Note 8** It is recommended to order the Contour Back Support option with the power or manual recline systems (STDSB or STDSB/CUSTOM)  
**The 11" power seat lift comes standard with reduced speed set at 30% of the preset speeds.**  
**Notice on Pride Q-Logic electronics: Reduced speed requires going through drive controls**  
**Please select one of these part numbers for reduced speed: SWTJSS, SWTJSD or SWTJSM**

**ELECTRONICS - SINGLE (1) OR DUAL (2) ACTUATOR CONTROLLERS**

<input type="checkbox"/>	SAC	Single Actuator Controller (Includes Reduced Speed with the Power Elevating Seat)	STD		
<input type="checkbox"/>	DAC	Dual Actuator Controller (Includes Reduced Speed with the Power Elevating Seat)	\$495		

Please select one activation and position from the list below

<input type="checkbox"/>	SWTOGGLE	10 or 11	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) - <input type="checkbox"/> User <input type="checkbox"/> Attendant	STD		
<input type="checkbox"/>	SWPUSH1	10	Single Push Button Switch (Single Mode: SAC) - <input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C		
<input type="checkbox"/>	SWPUSH2	10 or 11	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) - <input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C		
<input type="checkbox"/>	SWTJSS-	10	Single Actuator Activation through Wheelchair Controls	\$995		
<input type="checkbox"/>	SWTJSD-	11	Dual Actuator Activation through Wheelchair Controls	\$995		
<input type="checkbox"/>	SWTVR2-	12	Tilt only activation through 6-key P&G VR2 joysticks	N/C		
<input type="checkbox"/>	SWTVSI-	13	Tilt only activation through 6-key P&G VSI joysticks	N/C		
<input type="checkbox"/>	SWTMK6-ACCT	14	Tilt only activation through Invacare: <input type="checkbox"/> SPJ-ACC <input type="checkbox"/> SPJ-PSS <sup>15</sup> <input type="checkbox"/> MPJ <sup>16</sup>	N/C		

- Note 10** Requires the Single Actuator Controller (SAC)  
**Note 11** Requires the Dual Actuator Controller (DAC)  
**Note 12** Requires the P&G 6-Key VR2 Joystick from Quickie or Pride.  
**Note 13** Requires the P&G 6-Key VSI Joystick from Quickie or Pride.  
**Note 14** Requires the SPJ-ACC, SPJ-PSS or MPJ Joystick with the MK690-ACC controller from Invacare.  
**Note 15** Requires the use of a Single Switch with a 1/8" phono plug (Mono)  
**Note 16** Requires the use of a Single or a Dual Switch with a 1/8" phono plug

**ELECTRONICS - MULTIPLE ACTUATOR CONTROLLER**

<input type="checkbox"/>	MAC	Multi - Function Control Box (Incl. Reduced Speed with the Power Elevating Seat)	\$2,195		
--------------------------	-----	--	---------	--	--

Please select one activation and position from the list below

<input type="checkbox"/>	SWMULTI	17	4-Way Toggle Switch (Up to 4 Activations) - <input type="checkbox"/> User <input type="checkbox"/> Attendant	STD		
<input type="checkbox"/>	SWMULTIT	17	Tripple Toggle Switch (Up to 5 Activations) - <input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C		
<input type="checkbox"/>	SWPUSH4	17	4-Way Push Button Switch - <input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C		
<input type="checkbox"/>	SWPUSH5	17	5-Way Push Button Switch - <input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C		
<input type="checkbox"/>	SWTJSM-	17	Multiple Actuator Activation through Wheelchair Controls	N/C		

**Note 17** Requires the Multiple Actuator Controller (MAC)

**JOYSTICK MOUNTING LOCATION**

- Left hand side  Right hand side

**AMYSEAT DIMENSIONS**

**Pre-Set Seat Angle (For Non-Reclining Backs)**

<input type="checkbox"/>	SOBAA	<input type="checkbox"/> 86° <input type="checkbox"/> 90° <input type="checkbox"/> 94° <input type="checkbox"/> 98° <input type="checkbox"/> 102° <input type="checkbox"/> 106° <input type="checkbox"/> 110° <input type="checkbox"/> 114° <input type="checkbox"/> 118° <input type="checkbox"/> 122°	N/C		
--------------------------	-------	---	-----	--	--

**Pediatric Adjustable Seat Width Range between 10" and 16" (Please select one width range)**

<input type="checkbox"/>	SOWN10-13 (Seat to Floor Height increases by 1")				
<input type="checkbox"/>	SOWN14-16 (Std. STFH - The center seat pan configuration is different than the 10" - 13" range)				
<input type="checkbox"/>	<input type="checkbox"/> 10" (SOWN10)	<input type="checkbox"/> 13" (SOWN13)	<input type="checkbox"/> 16" (SOWN16)	N/C	
<input type="checkbox"/>	<input type="checkbox"/> 11" (SOWN11)	<input type="checkbox"/> 14" (SOWN14)		N/C	
<input type="checkbox"/>	<input type="checkbox"/> 12" (SOWN12)	<input type="checkbox"/> 15" (SOWN15)		N/C	

**Pediatric Adjustable Seat Depth Range between 10" and 16"**

<input type="checkbox"/>	<input type="checkbox"/> 10" (SODN10)	<input type="checkbox"/> 13" (SODN13)	<input type="checkbox"/> 16" (SODN16)		
<input type="checkbox"/>	<input type="checkbox"/> 11" (SODN11)	<input type="checkbox"/> 14" (SODN14)		N/C	
<input type="checkbox"/>	<input type="checkbox"/> 12" (SODN12)	<input type="checkbox"/> 15" (SODN15)		N/C	

**Standard Adjustable Seat Width Range between 15" and 20" (Please select one width range)**

<input type="checkbox"/>	SOWN15-20-19 (Width adjustment from 15" to 20" with a maximum Seat Depth Range of 19")				
<input type="checkbox"/>	SOWN15-20-22 (Width adjustment from 15" to 20" with a maximum Seat Depth Range of 22")				
<input type="checkbox"/>	<input type="checkbox"/> 15" (SOWN15)	<input type="checkbox"/> 18" (SOWN18)		STD	
<input type="checkbox"/>	<input type="checkbox"/> 16" (SOWN16)	<input type="checkbox"/> 19" (SOWN19S)		STD	
<input type="checkbox"/>	<input type="checkbox"/> 17" (SOWN17)	<input type="checkbox"/> 20" (SOWN20S)		STD	

**Large Adjustable Seat Width Range between 19" and 24" (Please select one width range)**

<input type="checkbox"/>	SOWN19-24-22 (Width adjustment from 19" to 24" with a maximum Seat Depth Range of 22")				
<input type="checkbox"/>	<input type="checkbox"/> 19" (SOWN19L)	<input type="checkbox"/> 22" (SOWN22)		\$430	
<input type="checkbox"/>	<input type="checkbox"/> 20" (SOWN20L)	<input type="checkbox"/> 23" (SOWN23)		\$430	
<input type="checkbox"/>	<input type="checkbox"/> 21" (SOWN21)	<input type="checkbox"/> 24" (SOWN24)		\$430	

**Custom Seat Width ≥ 25"**

<input type="checkbox"/>	SOWCUS	Custom Seat Width, Specify: _____"	(REQUEST FOR QUOTE)	\$0	
--------------------------	--------	------------------------------------	---------------------	-----	--



Adjustable Seat Depth Range between 15" and 22"						
<input type="checkbox"/>	<input type="checkbox"/> 15" (SODN15)	<input type="checkbox"/> 16" (SODN16)	<input type="checkbox"/> 17" (SODN17)	<input type="checkbox"/> 18" (SODN18)	STD	
<input type="checkbox"/>	<input type="checkbox"/> 19" (SODN19)	<input type="checkbox"/> 20" (SODN20)	<input type="checkbox"/> 21" (SODN21)	<input type="checkbox"/> 22" (SODN22)	\$295	

Custom Seat Depth ≥ 23"						
<input type="checkbox"/>	SODCUS	Custom Seat Depth, Specify: _____"	(REQUEST FOR QUOTE)		\$0	

Back Cane Height (When ordering a contour back support, the back cane height will be selected by Amysystems, unless otherwise specified)						
<input type="checkbox"/>	12" (SOBH12) <sup>18</sup>	<input type="checkbox"/> 16" (SOBH16)	<input type="checkbox"/> 20" (SOBH20)		N/C	
<input type="checkbox"/>	13" (SOBH13) <sup>18</sup>	<input type="checkbox"/> 17" (SOBH17) <sup>19</sup>	<input type="checkbox"/> 21" (SOBH21)		N/C	
<input type="checkbox"/>	14" (SOBH14) <sup>18</sup>	<input type="checkbox"/> 18" (SOBH18)	<input type="checkbox"/> 22" (SOBH22)		N/C	
<input type="checkbox"/>	15" (SOBH15)	<input type="checkbox"/> 19" (SOBH19)			N/C	

Note 18 These back cane heights are not available with power options.  
 Note 19 17" is the minimum back cane height required with a power recline.

Custom Back Cane Height						
<input type="checkbox"/>	SOBHCUS	Custom Back Cane Height, Specify: _____"	(REQUEST FOR QUOTE)		\$0	

CONTOUR BACK SUPPORT (With this option, the back cane height will be determined by Amysystems, unless otherwise specified)						
<input type="checkbox"/>	STDSB/	20	Contour back support with a maximum cushion height of 20" (10" to 20" Wide)		\$550	
<input type="checkbox"/>	STDSB/CUSTOM	20	Contour back support (Non-Standard Sizes). Specify: Width: Height:		\$650	

Note 20 It is recommended to order the Contour Back Support option with the power or manual recline systems (SAPRN, SAPTRN and ADDMR)

Back Support Height (Shell) <sup>21</sup>						
<input type="checkbox"/>	10" (SOBCH10)	<input type="checkbox"/> 13" (SOBCH13)	<input type="checkbox"/> 16" (SOBCH16) <sup>22</sup>	<input type="checkbox"/> 19" (SOBCH19)		N/C
<input type="checkbox"/>	11" (SOBCH11)	<input type="checkbox"/> 14" (SOBCH14)	<input type="checkbox"/> 17" (SOBCH17)	<input type="checkbox"/> 20" (SOBCH20)		N/C
<input type="checkbox"/>	12" (SOBCH12)	<input type="checkbox"/> 15" (SOBCH15)	<input type="checkbox"/> 18" (SOBCH18)			N/C

Note 21 The space between the bottom of the back and the seat pan is 2" to 3" with a fixed back, and 6" to 7" with a recline system  
 Note 22 With a Power or Manual Recline option, the minimum back support height is 16"

SEAT CUSHION						
<input type="checkbox"/>	SCPSC/	Contour Seat Cushion with a maximum seat depth of 22" (10" to 20" Wide)			\$550	
<input type="checkbox"/>	SCPSC/CUSTOM	Contour Seat Cushion (Non-Standard Sizes). Specify: Width: Depth:			\$650	

**ARMRESTS**

Cantilever - Height Adjustable (For Non-Reclining Backs - Choose 2)						
<input type="checkbox"/>	SOAFBFLH	LH - Adult Flip-Back Cantilever - Full Length (Height Adj. 6"- 22" in 1" increments)			STD	
<input type="checkbox"/>	SOAFBFRH	RH - Adult Flip-Back Cantilever - Full Length (Height Adj. 6"- 22" in 1" increments)			STD	
<input type="checkbox"/>	SOAFBDLH	LH - Adult Flip-Back Cantilever - Desk Length (Height Adj. 6"- 22" in 1" increments)			N/C	
<input type="checkbox"/>	SOAFBDRH	RH - Adult Flip-Back Cantilever - Desk Length (Height Adj. 6"- 22" in 1" increments)			N/C	
<input type="checkbox"/>	SOAFBPFLH	LH - Pediatric Flip-Back Cantilever - Full Length (Height Adj. 6"- 22" in 1" increments)			N/C	
<input type="checkbox"/>	SOAFBPPRH	RH - Pediatric Flip-Back Cantilever - Full Length (Height Adj. 6"- 22" in 1" increments)			N/C	
<input type="checkbox"/>	SOAFBPDH	LH - Pediatric Flip-Back Cantilever - Desk Length (Height Adj. 6"- 22" in 1" increments)			N/C	
<input type="checkbox"/>	SOAFBPPRH	RH - Pediatric Flip-Back Cantilever - Desk Length (Height Adj. 6"- 22" in 1" increments)			N/C	

Dual Post - Height Adjustable with Transfer Handle (For Non-Reclining Backs - Choose 2)						
<input type="checkbox"/>	SOADPFLH	LH - Adult Adjustable Height Dual Post - Full Length (Height Adjustable 9 ½" - 13 ½")			\$175	
<input type="checkbox"/>	SOADPFRH	RH - Adult Adjustable Height Dual Post - Full Length (Height Adjustable 9 ½" - 13 ½")			\$175	
<input type="checkbox"/>	SOADPDLH	LH - Adult Adjustable Height Dual Post - Desk Length (Height Adjustable 9 ½" - 13 ½")			\$175	
<input type="checkbox"/>	SOADPDRH	RH - Adult Adjustable Height Dual Post - Desk Length (Height Adjustable 9 ½" - 13 ½")			\$175	
<input type="checkbox"/>	SOADPPLH	LH - Pediatric Adjustable Height Dual Post (Height Adjustable from 8 ½" - 12")			\$175	
<input type="checkbox"/>	SOADPPRH	RH - Pediatric Adjustable Height Dual Post (Height Adjustable from 8 ½" - 12")			\$175	

Reclining Flip-up, Height adjustable, easy release, transfer handle & clothing guards (For Reclining Backs - Choose 2)						
<input type="checkbox"/>	SOANIFLH	LH - Adult Reclining armrest - Full Length (Height Adj. 10 ½" to 14" in ½" increments)			N/C	
<input type="checkbox"/>	SOANIFRH	RH - Adult Reclining armrest - Full Length (Height Adj. 10 ½" to 14" in ½" increments)			N/C	
<input type="checkbox"/>	SOANIDLH	LH - Adult Reclining armrest - Desk Length (Height Adj. 10 ½" to 14" in ½" increments)			N/C	
<input type="checkbox"/>	SOANIDRH	RH - Adult Reclining armrest - Desk Length (Height Adj. 10 ½" to 14" in ½" increments)			N/C	

ARMPADS						
<input type="checkbox"/>	SOFAPD	Desk Length Standard (10") - Select Side: <input type="checkbox"/> LH <input type="checkbox"/> RH			N/C	
<input type="checkbox"/>	SOFAPF	Full Length Standard (14") - Select Side: <input type="checkbox"/> LH <input type="checkbox"/> RH			STD	
<input type="checkbox"/>	SOWAPD	Desk Length Waterfall (10") - Select Side: <input type="checkbox"/> LH <input type="checkbox"/> RH			\$30	
<input type="checkbox"/>	SOWAPF	Full Length Waterfall (14") - Select Side: <input type="checkbox"/> LH <input type="checkbox"/> RH			\$30	
<input type="checkbox"/>	SOCAR	23	Arm Trough with Hand Support (18" x 4 ½") - Select Side: <input type="checkbox"/> LH <input type="checkbox"/> RH		\$195	

Note 23 Arm Trough Armpads may interfere with Armrests Flipping back.

**FOOTRESTS**

<input type="checkbox"/>	SOPA AF	28	Pediatric Swing-Away Footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80° <input type="checkbox"/> 90° Select Range: <input type="checkbox"/> SOFLP5 (5 1/2" - 7 1/2") <input type="checkbox"/> SOFLP8 (8 1/2" - 10 1/2") <input type="checkbox"/> SOFLP10 (10 1/2" - 15 1/2")	\$295		
<input type="checkbox"/>	SOSA AF	25, 28	Adult Swing-Away Footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80° Select Footrest Range: <input type="checkbox"/> SOFLA10 (10 1/2" - 15 1/2") <input type="checkbox"/> SOFLA14 (14 1/2" - 19 1/2")	STD		
<input type="checkbox"/>	SOAAF	25, 28	Adult Heavy-Duty Swing-Away footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80° Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLHD14 (14 1/2" - 19 1/2")	\$345		
<input type="checkbox"/>	ADDPL	25, 28	Adult Power Elevating & Articulating Legrests -- Select Function: <input type="checkbox"/> Individual <sup>26</sup> <input type="checkbox"/> Combined <sup>27</sup> Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2")	\$2,795		

28 Please set the Footrest Length at: \_\_\_\_\_ "

Note 24 Depending on the seat configuration, this option may not be available.

Note 25 This option is not available with the pediatric seat frame.

Note 26 Individual legs count as two power functions.

Note 27 Combined legs count as one power function.

Note 28 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

**FOOTPLATES & ACCESSORIES**

<input type="checkbox"/>	SOSFAF	Standard Flip-up Footplates	STD		
<input type="checkbox"/>	SOAFP	Angle Adjustable & Flip-up Footplates	\$125		
<input type="checkbox"/>	SOAHL	Heel Loops (pair)	\$40		

**CENTRE MOUNTS**

<input type="checkbox"/>	ADDPF	29,30,31	90° Power centre mount elevating & articulating foot platform Select Range: <input type="checkbox"/> SOFBPW15 (15" - 19") <input type="checkbox"/> SOFBPW19 (19" - 23")	\$2,795		
<input type="checkbox"/>	SOAAF90	31, 32	90° Fixed Center Mount Interface Bracket Select Range: <input type="checkbox"/> SOFBP7 (7 1/2" - 12 1/2") <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2") <input type="checkbox"/> SOFBA16 (16 1/2" - 20 1/2")	\$225		
<input type="checkbox"/>	SOFUFP		Flip-up one piece Foot Platform	N/C		
<input type="checkbox"/>	SOSA FP	31, 33	Center Mount Interface Bracket for Angle Adjustable Split Foot Platform Select Range: <input type="checkbox"/> SOFBP7 (7 1/2" - 12 1/2") <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2") <input type="checkbox"/> SOFBA16 (16 1/2" - 20 1/2")	\$225		
<input type="checkbox"/>	SOAFPFB		Angle Adjustable & Flip-up Split Footplates	\$125		

31 Please set the Foot Platform Length at: \_\_\_\_\_ "

Note 29 Counts as One Power Function. Please select either the one piece foot platform (SOFUFP) or the slit angle adjustable footplates (SOAFPFB)

Note 30 This option is not available with the pediatric seat frame.

Note 31 The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

Note 32 Links and attaches the one piece centre mount foot platform to the seat (SOFUFP).

Note 33 Links and attaches the centre mount split footplates to the seat (SOAFPFB).

**HEADREST**

<input type="checkbox"/>	SONUHR	Using headrest mounting hardware other than SOSAH or SOMAH located below. Specify : _____			
<input type="checkbox"/>	SOFHRS	Small Curved Headrest Pad 6" x 3 1/2"	\$200		
<input type="checkbox"/>	SOFHRM	Medium Curved Headrest Pad 7" x 4 1/2"	\$200		
<input type="checkbox"/>	SOFHRL	Large Curved Headrest Pad 8" x 5 1/2"	\$200		
<input type="checkbox"/>	SOSA H	Single-Axis Headrest Mounting Hardware	\$140		
<input type="checkbox"/>	SOMA H	Multi-Axis Headrest Mounting Hardware	\$160		
<input type="checkbox"/>	SOHRBC	Mount on the Back Cushion (Without Recline)	\$100		
<input type="checkbox"/>	SOHR SB	Mounted on the Seat Frame Crossbar (Without Recline)	\$100		
<input type="checkbox"/>	SOHR PR	Mounted on the Seat Frame Crossbar (For Power Recline)	\$100		

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The crossbar or back cushion)

**LATERAL SUPPORTS**

<input type="checkbox"/>	SOSLS3-C	Small Lateral Curved Pads with swing-away hardware mounts (Pair) - (3" x 5")	\$395		
<input type="checkbox"/>	SOSLM4-C	Medium Lateral Curved Pads with swing-away hardware mounts (Pair) - (4" x 6")	\$395		
<input type="checkbox"/>	SOSLL5-C	Large Lateral Curved Pads with swing-away hardware mounts (Pair) - (5" x 7")	\$395		

Please select one of the lateral mounting brackets from the selection below.

**LATERAL MOUNTING BRACKETS (Pair)**

<input type="checkbox"/>	OFFSET0	Straight Brackets for Lateral Supports	STD		
<input type="checkbox"/>	OFFSET1	1" Offset Brackets for Lateral Supports	N/C		
<input type="checkbox"/>	OFFSET2	2" Offset Brackets for Lateral Supports	N/C		

Please select one of the bracket options when ordering Lateral Supports. On some configurations, armrests may not flip-back completely.

**SWING-AWAY JOYSTICK MOUNT**

<input type="checkbox"/>	SOSWJSMR	RH - Swing-Away Joystick Mounting Bracket	\$364		
<input type="checkbox"/>	SOSWJSML	LH - Swing-Away Joystick Mounting Bracket	\$364		

**SEAT POSITIONING**

<input type="checkbox"/>	SOAUTO	55" Auto Style Buckle Seat Positioning Strap	STD		
--------------------------	--------	--	-----	--	--

